

## Safety Data Sheet Wetsuit® Trowel & Wetsuit Fiberated Trowel 17-WST-5 & 17-WSFT-5

according to Regulation  
(EC) No. 1907/2006 (REACH)  
with its amendment Regulation (EC) No. 453/2010  
Federal register / vol 77 n° 58 03/26/2012  
Rules & regulations

Date of issue:                      Revision date: 2024-08-01      Supersedes: V3.3      Version: 4.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Liquid mixture  
Product name : Wetsuit® Trowel and Wetsuit Fiberated Trowel  
Product Code : 17-WST-5 & 17-WSFT-5  
Type of product : Roofing & waterproofing coating

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use / Professional use  
Industrial/Professional use spec : Wide dispersive use  
Use of the substance/mixture : Coating

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Neptune Coatings Inc  
4260 Wagon Trail Avenue  
Las Vegas, NV 89118 USA  
T +1 (702) 410 5500 - F +1 (702) 410 5889  
info@neptunecoatings.com  
Informations : +1 702 751 0460 & Neptune Coatings working days +1 702 410 5500 9 AM to 5PM

Polymer Group Ltd  
62 Stonedon Drive, East Tamaki Manukau City, New Zealand  
Ph: 0800 999 001 Mon-Friday 8.00 am – 5.30 pm / Ph: 09 916 3026 24 hrs

#### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number
United States	Neptune Coatings Emergency number ( English Speaking)	Las Vegas NV	Call CHEMTREC: Toll Free: 1-800-424-9300/ +1 703-527-3887
United States	National Capital Poison Center		+ 1 800 222 1222
United Kingdom	NPIS Edinburgh (Scottish Poisons Information Bureau) Royal Infirmary of Edinburgh	51 Little France Crescent EH16 4SA Edinburgh	0844 892 0111
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241
Belgique	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+32 70 245 245
France	Centre Antipoison Hôpital Edouard Herriot	5 Place d'Arsonval F-69437 Lyon Cedex 03	+33 4 72 11 69 11
New Zealand	Polymer Group Ltd	62 Stonedon Drive, East Tamaki Manukau City, New Zealand	Ph: 0800 999 001 Mon-Friday 8.00 am – 5.30 pm Ph: 09 916 3026 24 hrs
Netherland	Nationaal Vergiftigingen Informatie Centrum	Huispostnummer B.00.118 PO Box 85500 3508 GA Utrecht	+31 30 274 88 88

**Safety Data Sheet**  
**Wetsuit® Trowel &**  
**Wetsuit Fiberated Trowel**  
**17-WST-5 & 17-WSFT-5**

according to Regulation  
 (EC) No. 1907/2006 (REACH)  
 with its amendment Regulation (EC) No. 453/2010  
 Federal register / vol 77 n° 58 03/26/2012  
 Rules & regulations

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**


**Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixture/Substance: SDS EU 2015: According to Annex II of Regulation (EC) No. 453/2010 (REACH Annex II)**

Skin irritation	Category 2	H315
Eye irritation	Category 2	H319
Respiratory track irritation	Category 3	H335

Full text of classification categories and H statement: see section 16

**2.2. Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]** Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)	:	
Signal word (CLP)	:	Warning
Hazardous ingredients	:	
Hazard statements (CLP)	:	H315: Causes Skin irritation H319: Cause eye irritation H335: May cause respiratory irritation
Precautionary statements (CLP)	:	P264 - Wash hands thoroughly after handling P280 - Wear protective gloves/protective clothes/eye protection/ face protection P261 - Avoid breathing dust/fume/gas/mist/vapor/spray P271 - Use only outdoors or in a well-ventilated area P304+P340 - IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing P302+P352 - IF ON SKIN: Wash with plenty of soap and water P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P332+P313 - IF SKIN irritation occurs: Get medical advice/attention P337+P313 - IF eye irritation persists: Get medical advice /attention P403 - Store in a well-ventilated place P404 - Store in a closed container

**2.3. Other hazards**

No additional information available

## Safety Data Sheet Wetsuit® Trowel & Wetsuit Fiberated Trowel 17-WST-5 & 17-WSFT-5

according to Regulation  
(EC) No. 1907/2006 (REACH)  
with its amendment Regulation (EC) No. 453/2010  
Federal register / vol 77 n° 58 03/26/2012  
Rules & regulations

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-chloro-1,3-butadiene, homopolymer, polychloroprene	(CAS No) 9010-98-4 (EC no) 204-818-0	> 25	Not classified
Emulsified asphaltic bitumen	(CAS No) 8052-42-4 (EC no) 232-490-9	> 40	Not classified
Chloroprene (stabilised), 2-chlorobuta-1,3-diene (stabilised)	(CAS No) 126-99-8 (EC no) 204-818-0 (EC index no) 602-036-00-8	< 0.1	Flam. Liq. 2, H225 Carc. 1B, H350 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 STOT RE 2, H373 Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315
Bentonite	(CAS No) 1302-78-9 (EC no) 215-108-5	< 1	Not classified

#### 3.2. Mixture

No information available

Full text of H-phrases: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove the victim into fresh air. Consult a doctor/medical service if you feel unwell.
- First-aid measures after skin contact : Wash immediately with lots of water. Wash with water and soap
- First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Keep eye wide open while rinsing. Obtain medical attention if pain, blinking or redness persist.
- First-aid measures after ingestion : Rinse mouth with water. Do not induce vomiting. Immediately consult a doctor/medical service.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Irritation. May cause irritation to the respiratory system
- Symptoms/injuries after skin contact : Rednesses. May cause moderate irritation.
- Symptoms/injuries after eye contact : Irritation of the eye tissue. Mechanical irritation. May cause severe irritation. Visual disturbances.
- Symptoms/injuries after ingestion : No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

**Safety Data Sheet**
  
**Wetsuit® Trowel &**
  
**Wetsuit Fiberated Trowel**
  
**17-WST-5 & 17-WSFT-5**

according to Regulation
   
 (EC) No. 1907/2006 (REACH)
   
 with its amendment Regulation (EC) No. 453/2010
   
 Federal register / vol 77 n° 58 03/26/2012
   
 Rules & regulations

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

- Suitable extinguishing media : CO2 Carbon dioxide. Dry chemical powder. Water spray. This is a waterborne product with trace quantities of organic vapors. No ignition is will occur until the water is evaporated
   
 Unsuitable extinguishing media : Water jet

**5.2. Special hazards arising from the substance or mixture**

- Fire hazard : Material presenting a minor fire hazard.
   
 Explosion hazard : Heat may cause pressure rise with explosion risk.
   
 Hazardous decomposition products in case of fire : Carbon monoxide. On burning on exposure to temperature rise: release of toxic and corrosive gases/vapours (chlorine, hydrogen chloride, carbon monoxide - carbon dioxide).
   
 Reactivity : No dangerous reactions known under normal conditions of use.

**5.3. Advice for firefighters**

- Precautionary measures fire : Exposure to fire/heat: keep upwind.
   
 Protection during firefighting : Self-contained breathing apparatus.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

- General measures : Isolate spill or leak area immediately. Keep unauthorized personnel away. Stay upwind. Ventilate enclosed areas. Ventilate closed spaces before entering.

**6.1.1. For non-emergency personnel**

- Protective equipment : Gloves. Safety glasses. Wear appropriate personal protective equipment during cleanup

**6.1.2. For emergency responders**

- Protective equipment : Equip cleanup crew with proper protection.

**6.2. Environmental precautions**

Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

- For containment : Dam up the liquid spill. Do not touch or walk through spilled material.
   
**Small Spills:** Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
   
**Large Spills:** Dam ahead of liquid spill for later disposal. Prevent entry into waterways, sewers, basements or confined areas. Surfaces may become slippery after spillage.
   
 Methods for cleaning up : Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers.

**6.4. Reference to other sections**

No additional information available

## Safety Data Sheet Wetsuit® Trowel & Wetsuit Fiberated Trowel 17-WST-5 & 17-WSFT-5

according to Regulation  
 (EC) No. 1907/2006 (REACH)  
 with its amendment Regulation (EC) No. 453/2010  
 Federal register / vol 77 n° 58 03/26/2012  
 Rules & regulations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Additional hazards when processed : None under normal use.
- Precautions for safe handling : Avoid contact with skin, eye and clothing. As with all chemicals, good industrial hygiene practices should be followed when handling this material. No special measures necessary provided product is used correctly
- Hygiene measures : Do no eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep in a ventilated place. Protect against frost. Keep the container tightly closed  
Avoid excessive heat.
- Incompatible products : No information available
- Storage temperature : 10 - 35°C / 50 - 95°F
- Packaging materials : Stainless steel. Glass. Plastics.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

- Personal protective equipment : Gloves. Safety glasses.
- Hand protection : Gloves. NBR (Nitrile rubber).
- Eye protection : Safety glasses
- Respiratory protection : Under normal conditions, respirator is not normally required. If vapors are present or irritation is experienced, NIOSH approved respiratory protection for organic vapors should be worn.  
Provide for sufficient ventilation and punctiform suction at critical points. When



#### 8.2. Exposure controls

WETSUIT 1-part	
ACGIH	Not applicable
OSHA	Not applicable
2-chloro-1,3-butadiene, homopolymer, polychloroprene (9010-98-4)	
ACGIH	Not applicable
OSHA	Not applicable
Emulsified asphaltic bitumen (8052-42-4)	
ACGIH	ACGIH TWA 5 mg/m <sup>3</sup>

## Safety Data Sheet Wetsuit® Trowel & Wetsuit Fiberated Trowel 17-WST-5 & 17-WSFT-5

according to Regulation  
(EC) No. 1907/2006 (REACH)  
with its amendment Regulation (EC) No. 453/2010  
Federal register / vol 77 n° 58 03/26/2012  
Rules & regulations

### WETSUIT 1-part

OSHA	OSHA PEL (TWA) 2 mg/m <sup>3</sup>
------	------------------------------------

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Slightly viscous mixture
Colour	: Amber to brown-black
Odour	: Slight odor
Odour threshold	: No data available
pH	: No data available
pH solution	: Alkaline Solution
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >100 °C / > 212 °F
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.024 g/cm <sup>3</sup>
Solubility	: Water: Solubility in water of component(s) of the mixture : • 2-chloro-1,3-butadiene, homopolymer, polychloroprene: insoluble • Emulsified asphaltic bitumen: insoluble • bentonite: insoluble
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosion limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

### 10.2. Chemical stability

Stable under normal conditions.

**Safety Data Sheet**
  
**Wetsuit® Trowel &**
  
**Wetsuit Fiberated Trowel**
  
**17-WST-5 & 17-WSFT-5**

according to Regulation
   
 (EC) No. 1907/2006 (REACH)
   
 with its amendment Regulation (EC) No. 453/2010
   
 Federal register / vol 77 n° 58 03/26/2012
   
 Rules & regulations

**10.3. Possibility of hazardous reactions**

None under normal use.

**10.4. Conditions to avoid**

No additional information available

**10.5. Incompatible materials**

No additional information available

**10.6. Hazardous decomposition products**

On burning (carbon monoxide - carbon dioxide). Hydrogen chloride, organic acids and aldehydes.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

LD50 oral rat	:	> 2000 mg/kg (Rat)
LD50 dermal rabbit	:	> 2000 mg/kg (Rabbit)
Skin corrosion/irritation	:	Causes skin irritation
Serious eye damage/irritation	:	Causes serious eye irritation.
Respiratory or skin sensitisation	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not listed as carcinogenic according to IARC, NTP or OSHA.
Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	May cause respiratory irritation
Specific target organ toxicity (repeated exposure)	:	Not classified
Aspiration hazard	:	Not classified

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

**SECTION 12: Ecological information**

**12.1. Toxicity**

LC50 fishes 1	:	> 1000 mg/l (96h; Pisces)
LC50 other aquatic organisms 1	:	> 1000 mg/l (96h)
Threshold limit other aquatic organism 1	:	> 1000 mg/l (96h)

## Safety Data Sheet Wetsuit® Trowel & Wetsuit Fiberated Trowel 17-WST-5 & 17-WSFT-5

according to Regulation  
(EC) No. 1907/2006 (REACH)  
with its amendment Regulation (EC) No. 453/2010  
Federal register / vol 77 n° 58 03/26/2012  
Rules & regulations

### 12.2. Persistence and degradability

WETSUIT® 1-Part	
Persistence and degradability	Biodegradability in soil: no data available.
2-chloro-1,3-butadiene, homopolymer, polychloroprene (9010-98-4)	
Persistence and degradability	Not readily biodegradable in water.
Emulsified asphaltic bitumen (8052-42-4)	
Persistence and degradability	Not readily biodegradable in water.

### 12.3. Bioaccumulative potential

2-chloro-1,3-butadiene, homopolymer, polychloroprene (9010-98-4)	
Bioaccumulative potential	No bioaccumulation data available.
Emulsified asphaltic bitumen (8052-42-4)	
Log Pow	> 6 (Calculated)
Bioaccumulative potential	Not bioaccumulative.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

- Regional legislation (waste) : Disposal must be done according to official regulations.
- Sewage disposal recommendations : Avoid any discharge of the product into waste water. Do not discharge into drains, surface waters or ground waters. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial and Local regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator.

## SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA  
DOT Proper Shipping Name This product is not regulated by DOT, IMO or IATA.

### 14.1. UN number

Not regulated for transport

- UN-No. (ADR) : No information available
- UN-No. (IMDG) : Not applicable
- UN-No.(IATA) : Not applicable
- UN-No.(ADN) : Not applicable

**Safety Data Sheet**
  
**Wetsuit® Trowel &**
  
**Wetsuit Fiberated Trowel**
  
**17-WST-5 & 17-WSFT-5**

according to Regulation  
 (EC) No. 1907/2006 (REACH)  
 with its amendment Regulation (EC) No. 453/2010  
 Federal register / vol 77 n° 58 03/26/2012  
 Rules & regulations

UN-No. (RID)	: Not applicable
Proper shipping name (ADR)	: Not applicable
Proper shipping name (IMDG)	: Not applicable
Proper shipping name (IATA)	: Not applicable
Proper shipping name (ADN)	: Not applicable
Proper shipping name (RID)	: Not applicable
Transport document description (ADR)	: Not applicable

**14.3. Transport hazard class(es)**

**ADR**

Transport hazard class(es) (ADR)	: No information available
Danger labels (ADR)	: No information available

**IMDG**

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

**IATA**

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

**ADN**

Transport hazard class(es) (ADN)	: Not applicable
----------------------------------	------------------

**RID**

Transport hazard class(es) (RID)	: Not applicable
----------------------------------	------------------

**14.4. Packing group**

Packing group (ADR)	: No information available
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

**14.5. Environmental hazards**

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

**14.6. Special precautions for user**

**- Overland transport**

Classification code (ADR)	: No information available
Special provision (ADR)	: No information available
Limited quantities (ADR)	: No information available
Excepted quantities (ADR)	: No information available
Packing instructions (ADR)	: No information available

**Safety Data Sheet**
  
**Wetsuit® Trowel &**
  
**Wetsuit Fiberated Trowel**
  
**17-WST-5 & 17-WSFT-5**

according to Regulation
   
 (EC) No. 1907/2006 (REACH)
   
 with its amendment Regulation (EC) No. 453/2010
   
 Federal register / vol 77 n° 58 03/26/2012
   
 Rules & regulations

Special packing provisions (ADR)	:	No information available
Mixed packing provisions (ADR)	:	No information available
Portable tank and bulk container instructions (ADR)	:	No information available
Portable tank and bulk container special provisions (ADR)	:	No information available
Tank code (ADR)	:	No information available
Vehicle for tank carriage	:	No information available
Transport category (ADR)	:	No information available
Special provisions for carriage - Packages (ADR)	:	No information available
Special provisions for carriage - Loading and unloading (ADR)	:	No information available
Hazard identification number (Kemler No.)	:	No information available
Orange plates	:	No information available
Tunnel restriction code (ADR)	:	No information available
EAC code	:	No information available
<b>- Transport by sea</b>		
MFAG-No	:	No information available
<b>- Air transport</b>		
No data available		
<b>- Inland waterway transport</b>		
Carriage prohibited (ADN)	:	No information available
Not subject to ADN	:	No
<b>- Rail transport</b>		
Carriage prohibited (RID)	:	No

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**
  
 Not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU-Regulations**

Contains no substances with Annex XVII restrictions
   
 Contains no REACH candidate substance
   
 Contains no REACH Annex XIV substances

**15.1.2. US Federal regulations**

Registration status:	TSCA, US released / listed
OSHA Hazard category:	Not hazardous
SARA Hazard Categories (EPCRA 311/312):	Not Hazardous

**Safety Data Sheet**  
**Wetsuit® Trowel &**  
**Wetsuit Fiberated Trowel**  
**17-WST-5 & 17-WSFT-5**

according to Regulation  
(EC) No. 1907/2006 (REACH)  
with its amendment Regulation (EC) No. 453/2010  
Federal register / vol 77 n° 58 03/26/2012  
Rules & regulations

**15.1.4. Canada**

<b>WETSUIT 1-part</b>	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

**15.1.4. National regulations**

No additional information available

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

**SECTION 16: Other information**

Indication of changes:

Classification according to Regulation (EC) No. 1272/2008 [CLP].

Full text of H- and EUH-phrases:

Skin irritation	Skin irritation, Category 2
Serious eye irritation	Serious eye irritation, Category 2
Specific target organ toxicity single exposure	Specific target organ toxicity, single exposure- Category 3
H335	May cause respiratory irritation
H319	Causes serious eye irritation
H315	Causes skin irritation

SDS (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*

*Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be held liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.*